



# Kopi®

[www.kopi-d.com](http://www.kopi-d.com)

leaflet 2016



## ○ kOutlet

**Material**

ABS

**Finishing**

injection colors

**Input**

12V DC

**Output (USB)**

2x 5V/1.0A ; 1x 5V/2.4A



## ○ USB Cables (Date & Sync)

**Connector**

USB Micro to A,  
USB C to C (Gen 1),  
USB C to A 3.0,  
USB C to HDMI



## ○ kBAR 96W multiple 8xUSB's

**Socket Material**

PA6 , PC

**Profile**

aluminum / PVC

**Finishing**

anodize colors

**DC sockets**

USB standard

**DC outputs(USB)**

8 x 2.4A

**Countries**

UL / UK / EU / AUS / CN



## ○ kPlug

**Material**

ABS

**Finishing**

injection colors

**AC input**

120~240V

**DC outputs(USB Type C)**

12V 1.7A, or 5V 3A

**DC outputs(QC3)**

9V 1.7A, or 5V 3A

**Countries**

UL / UK / EU / AUS



Surge Protection - optional  
IEC adaptor - optional  
Bluetooth LE



## Beacons

iBeacon and Eddystone versions  
External 5V powered,  
CR2450, CR2477  
Remote management tools.



## kOutlet

<b>Material</b>	ABS	<b>Input</b>	110V 15A
<b>Finishing</b>	injection colors	<b>Output</b>	110V 15A

MFi Certified Homekit outlet profile



Made for



## kBar Type C

<b>Socket Material</b>	PA6 , PC	<b>Input (USB)</b>	Type C	<b>Output (HDMI)</b>	1.4a
<b>Profile</b>	aluminium / PVC	<b>Outputs(USB)</b>	40W Max, Type C: 12V1.7A, 5V 3A, Type A: 9V1.7A, 5V 2.4	<b>Countries</b>	UL / UK / EU / AUS / CN
<b>Finishing</b>	anodise colors	<b>AC sockets</b>	1Way		



Enquiry [general@kopi-d.com](mailto:general@kopi-d.com)

Tel +852 3525 1342

Fax +852 2345 8476

Kopi Incorporation Limited

Unit 716 / Vanta Industrial Centre

21-33 Tai Lin Pai Road / Kwai Fong

NT / Hong Kong